

TYPE D - 20' WIDE, (1) CANOPY TREE PER 100 LF, (2) PALM TREES OR UNDERSTORY TREES PER 100 LF, (15) SHRUBS PER 50 LF

TYPE C - 5' WIDE, 6' HT. HEDGE, (1) CANOPY TREE PER 100 LF, (10) SHRUBS PER 50 LF

NOTES:

1. IN HEDGE CONDITIONS, DECORATIVE FENCE AND WALLS MAY BE CONSIDERED. FINAL FENCE DESIGN AND LOCATIONS TO BE DETERMINED DURING SITE DEVELOPMENT REVIEW.

2. HEDGES SHALL ACHIEVE THE REQUIRED HEIGHT WITHIN 3 YEARS OF INSTALLATION.











TYPE A

CODE REQUIREMENTS **PROPOSED** PER SEC. 23-307.3b **BUFFER WIDTH** 20' 20' 6' HT. WALL OR HEDGE SOLID SCREEN 6' HT. WALL **CANOPY TREES** (1) PER 50 LF (1) PER 40 LF (1) PER 40 LF **UNDERSTORY TREES NOT REQUIRED** SHRUBS **NOT REQUIRED** (15) PER 100 LF TYPE A*


	CODE REQUIREMENTS PER SEC. 23-307.3b	PROPOSED		
BUFFER WIDTH	20'	20'		
SOLID SCREEN	6' HT. WALL OR HEDGE	6' HT. WALL + 4' HT. HEDGE + BERM		
CANOPY TREES	(1) PER 50 LF	(1) PER 40 LF		
UNDERSTORY TREES	NOT REQUIRED	(1) PER 40 LF		
SHRUBS	NOT REQUIRED	(15) PER 50 LF		


NOTE: HEDGES SHALL ACHIEVE THE REQUIRED HEIGHT WITHIN 3 YEARS OF INSTALLATION.









































TYPE B

	CODE REQUIREMENTS PER SEC. 23-307.3b	PROPOSED
BUFFER WIDTH	10'	10'
SOLID SCREEN	6' HT. WALL/HEDGE	6' HEDGE
CANOPY TREES	NOT REQUIRED	(1) PER 50 LF
SHRUBS	NOT REQUIRED	(15) PER 50 LF

TYPE B* (BUFFER BETWEEN NON-RESIDENTIAL AND RESIDENTIAL USE)

	CODE REQUIREMENTS PER SEC. 23-307.3a	PROPOSED
BUFFER WIDTH	5'	10'
SOLID SCREEN	6' HT. WALL/HEDGE	6' HT. WALL + CONTINUOUS HEDGE
CANOPY TREES	NOT REQUIRED	(1) PER 50 LF
SHRUBS	NOT REQUIRED	(15) PER 50 LF

NOTES:


1. IN HEDGE CONDITIONS, DECORATIVE FENCE AND WALLS MAY BE CONSIDERED. FINAL FENCE DESIGN AND LOCATIONS TO BE DETERMINED DURING SITE DEVELOPMENT REVIEW.

2. HEDGES SHALL ACHIEVE THE REQUIRED HEIGHT WITHIN 3 YEARS OF INSTALLATION.



































TYPE C

	CODE REQUIREMENTS	PROPOSED
BUFFER WIDTH	NOT REQUIRED (SAME LAND USE)	5'
SOLID SCREEN	NOT REQUIRED	6' HT. HEDGE
CANOPY TREES	NOT REQUIRED	(1) PER 100 LF
SHRUBS NOT REQUIRED		(10) PER 50 LF

NOTES:


1. IN HEDGE CONDITIONS, DECORATIVE FENCE AND WALLS MAY BE CONSIDERED. FINAL FENCE DESIGN AND LOCATIONS TO BE DETERMINED DURING SITE DEVELOPMENT REVIEW.


2. HEDGES SHALL ACHIEVE THE REQUIRED HEIGHT WITHIN 3 YEARS OF INSTALLATION.























	CODE REQUIREMENTS PER SEC. 23-307.3b	PROPOSED
BUFFER WIDTH	20'	20'
SOLID SCREEN	6' HT. WALL OR HEDGE	6' HT. WALL
CANOPY TREES	(1) PER 50 LF	(1) PER 100 LF
UNDERSTORY TREES	NOT REQUIRED	(2) UNDERSTORY TREES OR PALM TREES PER 100 LF
SHRUBS	NOT REQUIRED	(15) PER 50 LF






















6' HT. ALUMINUM PICKET WITH COLUMNS (PAINTED BRICK) EVERY 200'+/-



48" HT. RAIL FENCING WITH LANDSCAPE BEHIND



6' HT. TAN VINYL WITH LANDSCAPE IN FRONT



NOTE: IN HEDGE CONDITIONS, DECORATIVE FENCE AND WALLS MAY BE CONSIDERED. FINAL FENCE DESIGN AND LOCATIONS TO BE DETERMINED DURING SITE DEVELOPMENT REVIEW.



