

CHANGES TO PROTOTYPE		
THIRD QUARTER CHANGES UP TO OCT. 1, 2014		DATE: 10/1/2014
ITEM #	DESCRIPTION	
1	SHOW EXTERIOR MENU AND PRE-VIEW BOARD FOOTING WITH REINFORCING	
2	ELIMINATE RECEPTACLE INSIDE DOOR OF STORAGE BUILDING AND REPLACE EMPTY EXTERIOR JUNCTION BOX ON SIDE OF STORAGE BUILDING WITH WATERPROOF RECEPTACLE	
3	RELOCATE WALL RECEPTACLE FROM BEHIND MIRROR IN MEN'S RESTROOM	
4	ADD WOOD SHELVES IN CLOSET IN TOILET VESTIBULE	
5	ADDED NEW SHELF NUMBERS FOR EXTERIOR STORAGE SHED SHELVING	
6	CLARIFIED DRIVE-THRU SIDE CURB DIMENSION ON PLAN AND IN DET. 11/SD2	
7	CLARIFIED CORNER GUARDS – USE S.S. CORNER GUARD WHEN AT LEAST ONE WALL FINISH AT CORNER IS S.S.	
8	UPGRADED TILE SPECS	
9	CLARIFIED CEILING TYPES	
10	RELOCATED 5 GAL. WATER HEATED BACK OVER PREP SINK	
11	NEW FREEZER/COOLER/STORAGE LAYOUT AND NEW SHELF LAYOUT	
12	NEW DRINK SYSTEM LOCATION	
13	ADDED FLOOR TILE UNDER WATER HEATER	
14	COORDINATED HOOD EXHAUST FAN LOCATION AND TRUSS SPACING FOR STRAIGHT UP HOOD DUCTS	
15	ADDED DIMENSIONS TO LOCATED EXTERIOR E.I.F.S. STARS	
16	COORDINATED ARCHITECTURAL AND PLUMBING DRAWINGS FOR HUB DRAIN UNDER SELF-SERVE DRINK STATION	
17	UPDATED SOME EQUIPMENT NUMBERS AND LOCATIONS ON SHEET EQ1	
18	SHIFTED WATER MAIN LOCATION TO MISS DOOR OPENING	
19	UPDATED LOCATION OF BACKFLOW PREVENTER TO HAVE PROPER ACCESS ABOVE WATER HEATER.	
20	REVISED PLANS TO SHOW ONE DROP AT THE SELF SERVE BEVERAGE BAR IN LIEU OF 2.	
21	REVISED DETAIL 21/P7 TO SHOW BASE OF CABINET	
22	MOVED DIFFUSER TO COORDINATE WITH EQUIPMENT AND RE-DESIGNED RTU-3 SA MAIN TO BE ROUTED BETWEEN TRUSSES. REVISED CONTROL LOCATIONS.	
23	UPDATED INTERIORS FOR "CONTEMPORARY" DECOR PACKAGE. REVISED INTERIOR ELEVATIONS, WALL SECTIONS, FINISH SCHEDULES, CEILING DESIGN, LIGHTING PACKAGE, FLOORING	
FOURTH QUARTER CHANGES UP TO JAN. 31, 2015		DATE: 1/31/2015
ITEM #	DESCRIPTION	
1	UPDATE SEAT COUNT FOR NEW CONTEMPORARY DECOR LAYOUT	
2	REVISE MENU BAFFLE DETAIL FOR LATEST MENU BOARD BLOCKING, ELEC. AND WALL FINISH	
3	UPDATE D/T MENU BOARD AND PREVIEW BOARD AND FOOTINGS	
4	UPDATE YARD LIGHT FOOTING DETAIL	
5	CHANGE HORIZ. BAND AT BOTTOM OF WINDOW TO E.I.F.S. AS STANDARD, AND ALUM. BAND AS ALTERNATE	
6	REVISE HUB DRAIN DETAIL IN SELF-SERVE DRINK CABINET	
7	UPDATE LIGHT FIXTURE SCHEDULE TO COORDINATE WITH ORDER FORM	
8	FIX CIRCUIT NUMBERS AS NOTED ON MARKED UP PLANS	
9	FIX BATTERY EMERGENCY LIGHT AS MARKED UP ON PLANS	
10	FIX GFI BREAKERS ON PANEL SCHEDULES AS NOTED ON MARKED UP PLANS	
11	ADD EMERGENCY LIGHT	
12	REVISE LOCATION OF BACK FLOW PREVENTER	
13	REVISE RTU MODEL NUMBERS	
14	ADDED PARTIAL PLAN TO LOCATE MAKE-UP TABLE	
15	MOVE ROOF ACCESS LADDER	
16	MOVE WALL AT ICE CREAM STATION TO MAKE ROOM FOR SYRUP RACK	
17	ADD SUPPLY DIFUSSER IN SALES AREA	
18	RE-ROUTE HUB DRAIN UNDER SELF SERVE DRINK COUNTER	
19	RE-LOCATE THERMOSTATS IN DINING AREA	
20	CHANGE LOW WALLS IN DINING ROOM FROM CONTRACTOR BUILT LOW WALL TO DECOR PROVIDED AND INSTALLED DECOR WALLS	

SITE SPECIFIC CHANGES FROM PROTOTYPE			DATE: 1.10.14	SHEETS AFFECTED	
ITEM #	DESCRIPTION				
1	STANDARD PROTOTYPE WITH MODIFIED EXTERIORS TO MEET CITY REQUIREMENTS			-	
2	CHANGED RTU #2 FROM 10 TON TO 12.5 TON			-	
3	ADDED HAND SINK IN BREW AREA / ICE CREAM			-	
4	ADDED NOTE TO DUMPSTER ENCLOSURE THAT CLEANING OF DUMPSTER IS NOT ALLOWED ON SITE AND MUST BE CLEANED OFF SITE			-	
5	CONCRETE DUMPSTER PAD MUST BE SEALED			-	
6	NO RED BURRETO EQUIPMENT			-	
7	4 VAT FRYER AND LARGER HOOD AND FAN			-	
REVISION 1			DRB CHANGES	DATE: 3/10/17	SHEETS AFFECTED
ITEM #	DESCRIPTION				
1	RAISE PARAPET & TOWER HEIGHTS TO HIDE ROOF EQUIPMENT				ALL ARCH.

NRD Project # 16432

national restaurant designers

ARCHITECTS & ENGINEERS

3005 Carrington Mill Blvd, Suite 150,
Morrisville NC 27560
ph: 919 544 7251

fac: 919 544 9399

A Division of LMHT Associates

STATE OF GEORGIA

REGISTERED PROFESSIONAL ARCHITECT

CLERK OF SUPERIOR COURT

RECEIVED

2017

JAN. 31, 2015

Hardee's

CHARBOLLS TRADING

HARDEE'S H24-66 PROTOTYPE

1115 HWY 441 Bldg
CORNELIA, GEORGIA 30631

REVISIONS

NO.	DATE	DESCRIPTION
1	3-10-17	

CHANGES DATA SHEET

DRAWN BY	CHECKED BY #1	CHECKED BY #2	APPROVED BY

CKE SITE ID.:

DATE: 02/01/2017

SHEET NUMBER: AD1