





|D Boundary 368.15 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | CPI | NCCPI | CAP |
|-----------|---|---------------|-------|-----|-------|------|
| TfB | Tifton loamy sand, 2 to 5 percent slopes | 130.7 7 | 35.52 | 0 | 65 | 2e |
| DoB | Dothan loamy sand, 2 to 5 percent slopes | 54.61 | 14.83 | 0 | 61 | 2e |
| KB | Kinston-Bibb association, 0 to 2 percent slopes, frequently flooded | 28.93 | 7.86 | 0 | 30 | 6w |
| СоВ | Cowarts loamy sand, 2 to 5 percent slopes | 28.22 | 7.66 | 0 | 45 | 2e |
| NkC2 | Nankin sandy loam, 5 to 8 percent slopes, moderately eroded | 24.51 | 6.66 | 0 | 63 | 4e |
| CtC2 | Cowarts sandy loam, 5 to 8 percent slopes, moderately eroded | 19.93 | 5.41 | 0 | 42 | 4e |
| NaB | Nankin loamy sand, 2 to 5 percent slopes | 16.63 | 4.52 | 0 | 64 | 2e |
| W | Water | 16.1 | 4.37 | 0 | - | - |
| TfA | Tifton loamy sand, 0 to 2 percent slopes | 11.92 | 3.24 | 0 | 66 | 1 |
| AeC | Ailey loamy sand, 5 to 8 percent slopes | 8.25 | 2.24 | 0 | 27 | 4s |
| BnB | Bonifay sand, 0 to 8 percent slopes | 7.66 | 2.08 | 0 | 26 | 3s |
| CaB2 | Carnegie sandy loam, 2 to 5 percent slopes, moderately eroded | 6.66 | 1.81 | 0 | 70 | 3e |
| FuB | Fuquay loamy sand, 0 to 5 percent slopes | 5.35 | 1.45 | 0 | 42 | 2s |
| AeB | Ailey loamy sand, 2 to 5 percent slopes | 4.95 | 1.34 | 0 | 27 | 3s |
| CwE | Cowarts-Nankin-Ailey complex, 8 to 25 percent slopes | 3.66 | 0.99 | 0 | 43 | 6e |
| TOTALS | | 368.1 5(*) | 100% | - | 53.25 | 2.69 |

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

| Land, Capability | | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|--|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | |
| 'Wild Life' | • | • | ٠ | • | ٠ | • | ٠ | ٠ | |
| Forestry | • | ٠ | • | ٠ | • | • | • | | |
| Limited | • | • | • | • | ٠ | • | • | | |
| Moderate | • | • | • | • | • | • | | | |
| Intense | • | • | • | • | • | | | | |
| Limited | • | • | • | • | | | | | |
| Moderate | • | • | ٠ | | | | | | |
| Intense | • | ٠ | | | | | | | |
| Very Intense | • | | | | | | | | |
| | | | | | | | | | |

Grazing Cultivation

(c) climatic limitations (e) susceptibility to erosion

(s) soil limitations within the rooting zone (w) excess of water